


[kg] Article n°

[kg] Article n°

Top100 tec waling WU14 0.50m	15.2	586901000
Top100 tec waling WU14 0.75m	22.8	586902000
Top100 tec waling WU14 1.00m	30.2	586903000
Top100 tec waling WU14 1.25m	37.9	586904000
Top100 tec waling WU14 1.50m	45.8	586905000
Top100 tec waling WU14 1.75m	53.4	586906000
Top100 tec waling WU14 2.00m	60.9	586907000
Top100 tec waling WU14 2.25m	68.5	586908000
Top100 tec waling WU14 2.50m	76.1	586909000
Top100 tec waling WU14 2.75m	83.9	586910000
Top100 tec waling WU14 3.00m	91.6	586911000
Top100 tec waling WU14 3.50m	106.7	586912000
Top100 tec waling WU14 4.00m	121.8	586913000
Top100 tec waling WU14 4.50m	137.8	586914000
Top100 tec waling WU14 5.00m	152.9	586915000
Top100 tec waling WU14 5.50m	168.0	586916000
Top100 tec waling WU14 6.00m	183.2	586917000
Top100 tec-Riegel WU14		


Painted blue



Top100 tec inside corner waling	22.7	586918000
Top100 tec-Inneneckriegel		

Painted blue

Leg length: 45.9 cm



Top100 tec corner profile 1.15m	4.8	586921000
Top100 tec corner profile 2.90m	12.2	586920000
Top100 tec-Eckprofil		

Galvanised, powder-coated



Waling clamp H20	0.22	580114000
Riegelklammer H20		

Galvanised

Width: 8 cm

Width-across: 13 mm



Flange clamp G	1.1	580120000
Flanschklammer G		

Galvanised

Width: 13 cm

Width-across: 19 mm



Beam screw S 8/60	0.06	580116000
Riegelverschraubung S 8/60		

Galvanised

Length: 7 cm

Width-across: 13 mm



Beam screw H 8/70	0.06	580117000
Riegelverschraubung H 8/70		


Galvanised

Length: 8 cm

Width-across: 13 mm



Fastening plate	2.7	580110000
Anschraubplatte		




Painted blue

Width: 13 cm

Height: 15 cm

Flange claw	1.0	580137000
Flanschkralle		



Galvanised

Width: 17 cm

Width-across: 19 mm

Lifting bracket	6.2	580460000
Kranöse		

Galvanised


Height: 59 cm



Top100 tec formwork element connector	11.5	586923000
Top100 tec-Elementverbinder		

Painted blue


Length: 125 cm



Top100 tec adjustable waling extension	21.0	586924000
Top100 tec-Ausgleichslasche		

Painted blue


Length: 137 cm



Beam clamp Top50	1.2	580081000
Trägerklammer Top50		

Painted blue


Height: 15 cm



Top100 tec anchoring plate	7.0	586925000
Top100 tec-Ankerungslasche		

Painted blue


Length: 56 cm



Top100 tec internal angle plate	26.5	586926000
Top100 tec-Innenecklasche		


Painted blue

Leg length: 70 cm




Top100 tec transition plate 21mm


Top100 tec-Übergangsglasche 21mm

15.4 586927000Painted blue
Height: 51 cm**Top100 tec angle tie bracket WU14**


Top100 tec-Winkelspanner WU14

8.9 586928000Painted blue
Length: 26.9 cm**Connecting pin 10cm**

Verbindungsbolzen 10cm

0.34 580201000Galvanised
Length: 14 cm**Connecting pin 25cm**

Verbindungsbolzen 25cm

0.58 580202000Galvanised
Length: 25 cm**Spring cotter 5mm**

Federvorstecker 5mm

0.05 580204000Galvanised
Length: 13 cm**Stacking plate H20**

Aufstocklasche H20

8.3 580310000Galvanised
Length: 68.8 cm**T ledge 21/42 2.00m**

T-Leiste 21/42 2,00m

0.34 580196000

Grey

Panel strut 340


Elementstütze 340

30.2 588246000

consisting of:

(A) Prop head

2 pcs.

Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm**3.5 588244000****(B) Prop shoe**Galvanised
Length: 20 cm
Width: 11 cm
Height: 10 cm**2.1 588245000****(C) Plumbing strut 340**Galvanised
Length: 190 - 341 cm**14.2 588247000****(D) Adjusting strut 120**Galvanised
Length: 80 - 130 cm**7.2 588248000**

Galvanised

Delivery condition: folded closed

Panel strut 540


Elementstütze 540

49.0 588249000

consisting of:

(A) Prop head

2 pcs.

Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm**3.5 588244000****(B) Prop shoe**Galvanised
Length: 20 cm
Width: 11 cm
Height: 10 cm**2.1 588245000****(C) Plumbing strut 540**Galvanised
Length: 309 - 550 cm**29.6 588250000****(D) Adjusting strut 220**Galvanised
Length: 171 - 224 cm**10.2 588251000**

Galvanised

Delivery condition: folded closed


Eurex 60 550

Eurex 60 550

depending on length, comprising:

- | | |
|---|-----------------------|
| (A) Plumbing strut Eurex 60 550
Powder-coated, blue
Aluminium
Length: 343 - 553 cm | 42.5 582658000 |
| (B) Extension Eurex 60 2.00m
Powder-coated, blue
Aluminium
Length: 250 cm | 21.3 582651000 |
| (C) Coupler Eurex 60
Aluminium
Length: 100 cm
Diameter: 12.8 cm | 8.6 582652000 |
| (D) Connector Eurex 60
Galvanised
Length: 15 cm
Width: 15 cm
Height: 30 cm | 3.9 582657000 |
| (E) Plumbing strut shoe Eurex 60
Galvanised
Length: 31 cm
Width: 12 cm
Height: 33 cm | 8.5 582660000 |
| (F) Adjusting strut 540 Eurex 60
Galvanised
Length: 302 - 543 cm | 29.0 582659000 |


Delivery condition: separate parts

**Prop head Eurex 60 Top50**

Stützenkopf Eurex 60 Top50

7.1 582665000Galvanised
Height: 50 cm**Universal dismantling tool**

Universal-Lösewerkzeug

3.7 582768000Galvanised
Length: 75.5 cm**Doka express anchor 16x125mm**

Doka-Expressanker 16x125mm

0.31 588631000Galvanised
Length: 18 cm
Follow fitting instructions!**Doka coil 16mm**


Doka-Coil 16mm

0.009 588633000Galvanised
Diameter: 1.6 cm**Universal bracket 60**


Universal-Konsole 60

14.0 580477000Galvanised
Length: 86 cm
Height: 181 cm**Universal bracket 90**


Universal-Konsole 90

30.4 580476000Galvanised
Length: 121 cm
Height: 235 cm**Top scaffold bracket L**

Betonierkonsole L

12.6 587153500Galvanised
Length: 101 cm
Height: 159 cm**Top scaffold bracket L painted**

Betonierkonsole L lackiert

12.0 587153000Painted blue
Length: 101 cm
Height: 159 cm

[kg] Article n°

Universal railing shackle

Universal-Geländerbügel

3.0 580478000

Galvanised
Height: 20 cm**Scaffold tube connection**

Gerüstrohranschluss

0.27 584375000

Galvanised
Height: 7 cm**Scaffold tube 48.3mm 1.00m**

3.6 682014000

Scaffold tube 48.3mm 1.50m

5.4 682015000

Scaffold tube 48.3mm 2.00m

7.2 682016000

Scaffold tube 48.3mm 2.50m

9.0 682017000

Scaffold tube 48.3mm 3.00m

10.8 682018000

Scaffold tube 48.3mm 3.50m

12.6 682019000

Scaffold tube 48.3mm 4.00m

14.4 682021000

Scaffold tube 48.3mm 4.50m

16.2 682022000

Scaffold tube 48.3mm 5.00m

18.0 682023000

Scaffold tube 48.3mm 5.50m

19.8 682024000

Scaffold tube 48.3mm 6.00m


21.6 682025000

Scaffold tube 48.3mmm

3.6 682001000

Gerüstrohr 48,3mm

Galvanised

**Screw-on coupler 48mm 50**


Anschraubkupplung 48mm 50

0.84 682002000

Galvanised
Width-across: 22 mm**Framax pouring platform U 1.25/2.70m**


Framax-Betonierbühne U 1,25/2,70m

127.5 588377000

Steel parts galvanised
Timber parts varnished yellow
Delivery condition: folded closed**Top50 adapter for Framax pouring platform U**


Top50-Adapter für Framax-Betonierbühne U

18.5 588384000

Galvanised
Width: 75 cm
Height: 134 cm**Side handrail clamping unit T**


Seitenschutzgeländer T

29.1 580488000

Galvanised
Length: 115 - 175 cm
Height: 112 cm**Doka 4-part chain 3.20m**

Doka-Vierstrangkette 3,20m

15.0 588620000



Follow the directions in the "Operating Instructions"!


CE

Fix-De-Fix remote uncoupling system 3150kg

Abhängeautomat Fix-De-Fix 3150kg

27.0 586014000

Follow the directions in the "Operating Instructions"!




CE

**Spindle strut GS T5 65/101cm**

Spindelstrebe GS T5 65/101cm

9.1 584356000

Galvanised


**Spindle strut T6 73/110cm**

Spindelstrebe T6

10.2 584355000

12.5 584323000

Galvanised



[kg] Article n°

[kg] Article n°

Spindle strut GS T6 95/140cm

Spindelstrebe GS T6 95/140cm


Galvanised

**10.3 584340000****Height adjuster for formwork beams**

Höhenjustierung für Schalungsträger


Galvanised

Height: 46 cm

**11.9 580218000****Spindle strut T7 75/110cm**

Spindelstrebe T7 75/110cm

Galvanised

**13.2 584308000****16.8 584309000****21.6 584324000****26.2 584325000****29.4 584326000****35.0 584327000**

Spindelstrebe T7

Tool box GF


GF-Werkzeugbox

included in scope of supply:

(A) Reversible ratchet 1/2"

Galvanised


Length: 30 cm

(B) Fork wrench 13/17**(C) Fork wrench 22/24****(D) Fork wrench 30/32****(E) Ring spanner 17/19****(F) Extension 11cm 1/2"****(G) Extension 22cm 1/2"****(H) Universal joint coupling****(I) Nut for box spanner 19 1/2" L****(J) Box nut 13 1/2"****(K) Box nut 24 1/2"****(L) Box nut 30 1/2"****6.5 580390000****0.73 580580000****0.08 580577000****0.22 580587000****0.80 580897000****0.27 580590000****0.20 580581000****0.31 580582000****0.16 580583000****0.16 580598000****0.06 580576000****0.12 580584000****0.20 580575000****Spindle strut T10 350/400cm**

Spindelstrebe T10mm

57.5 584328000**16.9 584391000**


Spindelstrebe T10

**Filler neck GF SCC**

GF-Füllstutzen SCC

Galvanised

Length: 66 cm

**39.0 580217000****Panel closure tool D125 SCC**


Sperrschieber D125 SCC

Galvanised

Length: 18 cm

Width: 33 cm

Height: 27 cm


**18.0 588127000****Top100 tec assembly angle**

Top100 tec-Montagelasche

Painted yellow

Length: 53.2 cm

Width: 48.2 cm


**6.7 586929000****Universal spindle foot T8**

Universal-Spindelfuß T8

Painted blue

Galvanised

Height: 30 cm


**8.6 584314000**

[kg] Article n°

[kg] Article n°

Strip tensioner B 5.00m


Bandzwinde B 5,00m



Galvanised

3.5 580394000**Doka accessory box**

Doka-Kleinteilebox



Timber parts varnished yellow

Steel parts galvanised

Length: 154 cm


Width: 83 cm

Height: 77 cm

Follow the directions in the "Operating Instructions"!

106.4 583010000**Positioning railm**

Führungsschienem




Painted blue

Weight per linear metre

1.8 580079000**Bolt-on castor set B**


Anklemm-Radsatz B



Painted blue

33.6 586168000**Top100 tec hole gauge**

Top100 tec-Bohrplatte




Painted blue

Length: 17 cm

Width: 15 cm

2.6 586930000**Doka Safety Systems****Angle connector 9x5cm**

Winkelverbinder 9x5cm



Galvanised

0.22 580381000

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".

Rafter plate right

Rafter plate left

Sparrenpfettenanker




Galvanised

Length: 17 cm

0.09 582521000**0.09 582522000****H20 screw-on bracket for formwork sheets**

Schalhaut-Schraubwinkel H20




Galvanised

Height: 19.2 cm

0.19 586256000**Double scraper Xlife 100/150mm 1.40m**

Doppelschaber Xlife 100/150mm 1,40m

**2.8 588674000**