


[kg] Article n°


Multi-purpose waling WS10 Top50 0.50m	10.2	580001000
Multi-purpose waling WS10 Top50 0.75m	14.9	580002000
Multi-purpose waling WS10 Top50 1.00m	19.6	580003000
Multi-purpose waling WS10 Top50 1.25m	24.7	580004000
Multi-purpose waling WS10 Top50 1.50m	29.7	580005000
Multi-purpose waling WS10 Top50 1.75m	35.0	580006000
Multi-purpose waling WS10 Top50 2.00m	38.9	580007000
Multi-purpose waling WS10 Top50 2.25m	44.2	580008000
Multi-purpose waling WS10 Top50 2.50m	48.7	580009000
Multi-purpose waling WS10 Top50 2.75m	54.2	580010000
Multi-purpose waling WS10 Top50 3.00m	60.2	580011000
Multi-purpose waling WS10 Top50 3.50m	68.4	580012000
Multi-purpose waling WS10 Top50 4.00m	79.4	580013000
Multi-purpose waling WS10 Top50 4.50m	89.1	580014000
Multi-purpose waling WS10 Top50 5.00m	102.0	580015000
Multi-purpose waling WS10 Top50 5.50m	112.4	580016000
Multi-purpose waling WS10 Top50 6.00m	118.0	580017000
Mehrzweckriegel WS10 Top50		

Painted blue



Multi-purpose waling SL-1 WU16 0.625m	24.0	582875000
Multi-purpose waling SL-1 WU16 0.75m	29.0	582876000
Multi-purpose waling SL-1 WU16 1.00m	35.0	582877000
Multi-purpose waling SL-1 WU16 1.25m	44.5	582878000
Multi-purpose waling SL-1 WU16 1.50m	53.0	582879000
Multi-purpose waling SL-1 WU16 1.75m	67.0	582880000
Multi-purpose waling SL-1 WU16 2.00m	72.1	582881000
Multi-purpose waling SL-1 WU16 2.25m	86.0	582882000
Multi-purpose waling SL-1 WU16 2.50m	89.9	582883000
Multi-purpose waling SL-1 WU16 3.00m	107.0	582888000
Mehrzweckriegel SL-1		

Painted blue


**Corner waling 20**

Eckriegel 20

23.5 580031000

Painted blue

Leg length: 52 cm



Multi-purpose waling WU12 Top50 1.00m	25.3	580018000
Multi-purpose waling WU12 Top50 1.25m	32.0	580019000
Multi-purpose waling WU12 Top50 1.50m	37.5	580020000
Multi-purpose waling WU12 Top50 1.75m	44.2	580021000
Multi-purpose waling WU12 Top50 2.00m	50.0	580022000
Multi-purpose waling WU12 Top50 2.50m	63.1	580023000
Multi-purpose waling WU12 Top50 3.00m	75.7	580024000
Multi-purpose waling WU12 Top50 3.50m	90.7	580025000
Multi-purpose waling WU12 Top50 4.00m	103.4	580026000
Mehrzweckriegel WU12 Top50		

Painted blue

Shaft corner waling WS10 Top50m


Eckwandriegel WS10 Top50m

20.5 580069000

Painted blue


Project-specific!

Also available in profiles of thickness U120 (Order designation: WU12).



Steel waling WS10 Top50 0.50m	10.4	580038000
Steel waling WS10 Top50 0.75m	15.4	580039000
Steel waling WS10 Top50 1.00m	20.2	580040000
Steel waling WS10 Top50 1.25m	25.0	580041000
Steel waling WS10 Top50 1.50m	30.3	580042000
Steel waling WS10 Top50 1.75m	35.8	580043000
Steel waling WS10 Top50 2.00m	40.2	580044000
Steel waling WS10 Top50 2.25m	46.1	580045000
Steel waling WS10 Top50 2.50m	51.0	580046000
Steel waling WS10 Top50 2.75m	56.1	580047000
Steel waling WS10 Top50 3.00m	60.4	580048000
Steel waling WS10 Top50 3.50m	71.5	580050000
Steel waling WS10 Top50 4.00m	82.1	580052000
Steel waling WS10 Top50 4.50m	92.2	580054000
Steel waling WS10 Top50 5.00m	102.0	580056000
Steel waling WS10 Top50 5.50m	112.4	580058000
Steel waling WS10 Top50 6.00m	122.2	580060000
Stahlwandriegel WS10 Top50		

Painted blue

**Angular waling WS10 Top50m**


Winkelriegel WS10 Top50m

21.5 580068000

Painted blue

Project-specific!

Also available in profiles of thickness U120 (Order designation: WU12).

**Flange clamp H20**


Flanschklammer H20

1.0 580135000

Galvanised

Width: 13 cm

Width-across: 19 mm



Steel waling WU12 Top50 1.00m	25.3	580085000
Steel waling WU12 Top50 1.25m	31.6	580086000
Steel waling WU12 Top50 1.50m	37.9	580087000
Steel waling WU12 Top50 1.75m	44.2	580088000
Steel waling WU12 Top50 2.00m	50.5	580089000
Steel waling WU12 Top50 2.50m	63.1	580091000
Steel waling WU12 Top50 3.00m	75.7	580092000
Steel waling WU12 Top50 3.50m	88.4	580093000
Stahlwandriegel WU12 Top50		

Painted blue

Flange clamp G

Flanschklammer G


















1.1 580120000

Galvanised

Width: 13 cm

Width-across: 19 mm



	[kg]	Article n°		[kg]	Article n°
Flange claw Flanschkralle  <p>Galvanised Width: 17 cm Width-across: 19 mm</p>	1.0	580137000	Formwork element connector FF20/50 Z Elementverbinder FF20/50 Z  <p>Painted blue Length: 55 cm</p>	6.0	587533000
Waling clamp H20 Riegelklammer H20  <p>Galvanised Width: 8 cm Width-across: 13 mm</p>	0.22	580114000	Adjustable waling extension 1.40m Top50 Ausgleichslasche 1,40m Top50  <p>Painted blue</p>	15.0	580075000
Beam screw S 8/60 Riegelverschraubung S 8/60  <p>Galvanised Length: 7 cm Width-across: 13 mm</p>	0.06	580116000	Adjustable waling extension FF20/50 Ausgleichslasche FF20/50  <p>Painted blue Length: 87 cm</p>	9.1	587532000
Beam screw H 8/70 Riegelverschraubung H 8/70  <p>Galvanised Length: 8 cm Width-across: 13 mm</p>	0.06	580117000	Beam clamp Top50 Trägerklammer Top50  <p>Painted blue Height: 15 cm</p>	1.2	580081000
Fastening plate Anschraubplatte  <p>Painted blue Width: 13 cm Height: 15 cm</p>	2.7	580110000	Anchoring plate FF20/50 Ankerungslasche FF20/50  <p>Painted blue Length: 55 cm</p>	6.6	587531000
Protective cap H20 Stirnschuh H20  <p>Galvanised Length: 20 cm Width: 7 cm</p>	0.36	587248000	Half splice plate Halblasche  <p>Painted blue Length: 78 cm</p>	5.5	580267000
Lifting bracket Kranöse  <p>Galvanised Height: 59 cm</p>	6.2	580460000	Splice plate with join adjustment Verbindungslasche mit Fugenjustierung  <p>Painted blue Length: 76 cm</p>	13.8	580215000
Splice plate Top50 Z Verbindungslasche Top50 Z  <p>Painted blue Length: 76 cm</p>	8.5	580074000	Offset plate FF20 Versatzlasche FF20  <p>Painted blue Length: 35 cm Width: 18 cm Height: 4 cm</p>	6.2	587534000
Formwork element connector FF20/50 Elementverbinder FF20/50  <p>Painted blue Length: 55 cm</p>	6.3	587530000			


[kg] Article n°

[kg] Article n°

Internal angle plate H20 Top50


Inneckenlasche H20 Top50

Painted blue
Length: 80 cm
Width: 38 cm

**11.3 580035000****Universal angle tie bracket**


Universal-Winkelspanner

Painted blue
Length: 20 cm

**4.4 580604000****Corner plate H20/H36 Top50**


Ecklasche H20/H36 Top50

Painted blue
Length: 49.7 cm
Width: 45.1 cm

**10.0 580078000****Angle tie bracket 20,0 SL-1 WU16**


Winkelspanner 20,0 SL-1 WU16

Painted blue
Length: 24 cm

**8.1 587543000****Shaft waling squaring plate**


Verschiebelasche

Painted blue
Leg length: 60 cm

**9.6 580262000****Lifting bracket for column formwork**

Kranöse für Stützenschalung


Galvanised, powder-coated
Length: 85 cm
Width: 85 cm

**65.0 580607000****Transition plate 18mm**

Transition plate 21mm


Übergangslasche

Painted blue
Length: 54 cm
Width: 30 cm
Height: 51 cm

**16.0 588654000****Articulated conn. plate A Top50 degrees**


Gelenklasche A Top50 Grad

Galvanised
Leg length: 36 cm

**20.0 580208000****Waling connector SL-1 WU16 0.75m**


Riegelverbinder SL-1 WU16 0,75m

Galvanised
Length: 75 cm

**31.0 582886000****Swivel joint plate**


Drehgelenklasche

Galvanised
Length: 155 cm

**20.0 587542000****Corner spindle**


Eckspindel

Galvanised
Length: 65 cm
Height: 31 cm

**17.5 580264000****Connecting pin 10cm**


Verbindungsbolzen 10cm

Galvanised
Length: 14 cm

**0.34 580201000****Corner connecting plate 90/50**


Winkellasche 90/50

Painted blue
Length: 51 cm
Width: 40 cm

**13.8 580603000****Connecting pin 25cm**

Verbindungsbolzen 25cm

Galvanised
Length: 25 cm

**0.58 580202000****Spring cotter 5mm**

Federvorstecker 5mm

Galvanised
Length: 13 cm

**0.05 580204000**

[kg] Article n°

[kg] Article n°

Stacking plate H20

Aufstocklasche H20


8.3 580310000Galvanised
Length: 68.8 cm**Inside corner plate 3.00m**

Inside corner plate 4.00m

Eckschiene

53.0 580282000**69.0 580284000**

Powder-coated, blue


**Joint plate 3.00m**

Joint plate 4.00m

Ausgleichsschiene

36.8 580332000**51.2 580334000**

Powder-coated, blue

**T ledge 21/42 2.00m**

T-Leiste 21/42 2,00m

0.34 580196000

Grey

**Panel strut 340**

Elementstütze 340

consisting of:


30.2 588246000**(A) Prop head**

2 pcs.

Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm**3.5 588244000****(B) Prop shoe**Galvanised
Length: 20 cm
Width: 11 cm
Height: 10 cm**2.1 588245000****(C) Plumbing strut 340**Galvanised
Length: 190 - 341 cm**14.2 588247000****(D) Adjusting strut 120**Galvanised
Length: 80 - 130 cm**7.2 588248000**

Galvanised

Delivery condition: folded closed

**Panel strut 540**

Elementstütze 540

consisting of:

49.0 588249000**(A) Prop head**

2 pcs.


Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm**3.5 588244000****(B) Prop shoe**Galvanised
Length: 20 cm
Width: 11 cm
Height: 10 cm**2.1 588245000****(C) Plumbing strut 540**Galvanised
Length: 309 - 550 cm**29.6 588250000****(D) Adjusting strut 220**

Length: 171 - 224 cm

10.2 588251000

Galvanised

Delivery condition: folded closed




Eurex 60 550

Eurex 60 550

depending on length, comprising:

- | | |
|---|-----------------------|
| (A) Plumbing strut Eurex 60 550
Powder-coated, blue
Aluminium
Length: 343 - 553 cm | 42.5 582658000 |
| (B) Extension Eurex 60 2.00m
Powder-coated, blue
Aluminium
Length: 250 cm | 21.3 582651000 |
| (C) Coupler Eurex 60
Aluminium
Length: 100 cm
Diameter: 12.8 cm | 8.6 582652000 |
| (D) Connector Eurex 60
Galvanised
Length: 15 cm
Width: 15 cm
Height: 30 cm | 3.9 582657000 |
| (E) Plumbing strut shoe Eurex 60
Galvanised
Length: 31 cm
Width: 12 cm
Height: 33 cm | 8.5 582660000 |
| (F) Adjusting strut 540 Eurex 60
Galvanised
Length: 302 - 543 cm | 29.0 582659000 |
| (G) Prop head
2 pcs.
Galvanised
Length: 40.8 cm
Width: 11.8 cm
Height: 17.6 cm | 3.5 588244000 |


Delivery condition: separate parts

**Prop head Eurex 60 Top50**

Stützenkopf Eurex 60 Top50

7.1 582665000Galvanised
Height: 50 cm**Universal dismantling tool**

Universal-Lösewerkzeug

3.7 582768000Galvanised
Length: 75.5 cm**Doka express anchor 16x125mm**


Doka-Expressanker 16x125mm

0.31 588631000Galvanised
Length: 18 cm
Follow fitting instructions!**Doka coil 16mm**


Doka-Coil 16mm

0.009 588633000Galvanised
Diameter: 1.6 cm**Universal bracket 60**


Universal-Konsole 60

14.0 580477000Galvanised
Length: 86 cm
Height: 181 cm**Universal bracket 90**

Universal-Konsole 90


30.4 580476000Galvanised
Length: 121 cm
Height: 235 cm**Top scaffold bracket L**

Betonierkonsole L

12.6 587153500Galvanised
Length: 101 cm
Height: 159 cm

Top scaffold bracket L painted


Betonierkonsole L lackiert

12.0 587153000

Painted blue
Length: 101 cm
Height: 159 cm

Top50 adapter for Framax pouring platform U

Top50-Adapter für Framax-Betonierbühne U

18.5 588384000

Galvanised
Width: 75 cm
Height: 134 cm

Universal railing shackle


Universal-Geländerbügel

3.0 580478000

Galvanised
Height: 20 cm

Side handrail clamping unit T

Seitenschutzgeländer T

29.1 580488000

Galvanised
Length: 115 - 175 cm
Height: 112 cm

**Scaffold tube connection**


Gerüstrohranschluss

0.27 584375000

Galvanised
Height: 7 cm

Handrail post T 1.80m

Einschubgeländer T 1,80m


17.7 584373000

Galvanised


Scaffold tube 48.3mm 1.00m**3.6 682014000****Scaffold tube 48.3mm 1.50m****5.4 682015000****Scaffold tube 48.3mm 2.00m****7.2 682016000****Scaffold tube 48.3mm 2.50m****9.0 682017000****Scaffold tube 48.3mm 3.00m****10.8 682018000****Scaffold tube 48.3mm 3.50m****12.6 682019000****Scaffold tube 48.3mm 4.00m****14.4 682021000****Scaffold tube 48.3mm 4.50m****16.2 682022000****Scaffold tube 48.3mm 5.00m****18.0 682023000****Scaffold tube 48.3mm 5.50m****19.8 682024000****Scaffold tube 48.3mm 6.00m****21.6 682025000****Scaffold tube 48.3mmm****3.6 682001000**

Gerüstrohr 48,3mm

Galvanised

**Handrail post 1.50m**


Geländer 1,50m

12.4 582754000

Galvanised

Screw-on coupler 48mm 50


Anschraubkupplung 48mm 50

0.84 682002000

Galvanised
Width-across: 22 mm

Doka 4-part chain 3.20m

Doka-Vierstrangkette 3,20m

15.0 588620000


Follow the directions in the "Operating Instructions"!

**Framax pouring platform U 1.25/2.70m**

Framax-Betonierbühne U 1,25/2,70m

127.5 588377000

Steel parts galvanised
Timber parts varnished yellow
Delivery condition: folded closed




[kg] Article n°

[kg] Article n°

Fix-De-Fix remote uncoupling system 3150kg 27.0 586014000

Abhängeautomat Fix-De-Fix 3150kg

Follow the directions in the "Operating Instructions"!



Spindle strut T7 75/110cm
Spindle strut T7 100/150cm
Spindle strut T7 150/200cm
Spindle strut T7 200/250cm
Spindle strut T7 250/300cm
Spindle strut T7 305/355cm
 Spindelstrebe T7

13.2 584308000
 16.8 584309000
 21.6 584324000
 26.2 584325000
 29.4 584326000
 35.0 584327000

Galvanised



Universal strut T5/5mm 6.5 584311000

Strebe T5/5mm

Painted blue
 Weight per linear metre




Spindle strut T10 350/400cm
Spindle strut T10mm
 Spindelstrebe T10

57.5 584328000
 16.9 584391000

Spindle strut GS T5 65/101cm 9.1 584356000

Spindelstrebe GS T5 65/101cm


Galvanised



Spindle strut T6 73/110cm 10.2 584355000
Spindle strut T6 100/150cm 12.5 584323000

Spindelstrebe T6

Galvanised



Spindle strut GS T6 95/140cm 10.3 584340000

Spindelstrebe GS T6 95/140cm

Galvanised



Universal spindle foot T8 8.6 584314000

Universal-Spindelfuß T8


Painted blue
 Galvanised
 Height: 30 cm



Height adjuster for formwork beams 11.9 580218000

Höhenjustierung für Schalungsträger

Galvanised
 Height: 46 cm



[kg] Article n°

[kg] Article n°

Height adjuster for multi-purpose walings



Höhenjustierung für Mehrzweckriegel

10.3 580206000

Panel closure tool D125 SCC

Sperrschieber D125 SCC

18.0 588127000

Galvanised
Height: 45 cmGalvanised
Length: 18 cm
Width: 33 cm
Height: 27 cm**Adjusting spindle M36**


Höhenjustierspindel M36

6.2 500663002

Assembly angle Top50

Montagelasche Top50

7.4 580082000

Galvanised
Length: 31 cm
Height: 29.2 cmPainted blue
Length: 55 cm
Width: 48 cm**Suspension head WS10**



Aufhängekopf WS10

8.1 580449000

Strip tensioner B 5.00m

Bandzwinde B 5,00m

3.5 580394000

Galvanised
Length: 21 cm
Width: 18 cm
Height: 23 cm

Galvanised

Universal support Top50mm



Tragwerkklasche Top50mm

11.1 584312000

Positioning railm

Führungsschienem

1.8 580079000

Painted blue
Weight per linear metrePainted blue
Weight per linear metre**Tool box GF**

GF-Werkzeugbox

6.5 580390000

included in scope of supply:

(A) Reversible ratchet 1/2"Galvanised
Length: 30 cm

0.73 580580000

(B) Fork wrench 13/17

0.08 580577000

(C) Fork wrench 22/24

0.22 580587000

(D) Fork wrench 30/32

0.80 580897000

(E) Ring spanner 17/19

0.27 580590000

(F) Extension 11cm 1/2"

0.20 580581000

(G) Extension 22cm 1/2"

0.31 580582000

(H) Universal joint coupling

0.16 580583000

(I) Nut for box spanner 19 1/2" L

0.16 580598000

(J) Box nut 13 1/2"


0.06 580576000

(K) Box nut 24 1/2"

0.12 580584000


(L) Box nut 30 1/2"

0.20 580575000

**Hole gauge Top50**


Bohrplatte Top50

2.9 580080000

Painted blue
Length: 17 cm
Width: 15 cm
Tool: Drill bit (diameter 10 mm)**Angle connector 9x5cm**

Winkelverbinder 9x5cm

0.22 580381000




Galvanised

Rafter plate right


Sparrenpfettenanker

0.09 582521000

Galvanised
Length: 17 cm**H20 screw-on bracket for formwork sheets**


Schalhaut-Schraubwinkel H20

0.19 586256000

Galvanised
Height: 19.2 cm**Filler neck GF SCC**


GF-Füllstutzen SCC

39.0 580217000

Galvanised
Length: 66 cm

Double scraper Xlife 100/150mm 1.40m**2.8 588674000**

Doppelschaber Xlife 100/150mm 1,40m

**Doka accessory box****106.4 583010000**

Doka-Kleinteilebox

Timber parts varnished yellow


Steel parts galvanised

Length: 154 cm

Width: 83 cm


Height: 77 cm

Follow the directions in the "Operating Instructions"!

**Bolt-on castor set B****33.6 586168000**

Anklemm-Radsatz B

Painted blue

**Doka Safety Systems**

You will find working and protection platforms, guardrail systems and access systems in the section headed "Doka Safety Systems".